Available online at www.sciencedirect.com
SCIENCE DIRECT
Aquaculture
ELSEVIER
Aquaculture 241 (2004) 715–718
www.elsevier.com/locate/aqua-online

Contents of *Aquaculture*, Volume 241

VOL. 241 NOS. 1–4 **26 November 2004**

Review Article

Dietary inositol requirement for juvenile grass shrimp, *Penaeus monodon*
S.-Y. Shiau and S.-L. Su (Keelung, Taiwan) 1

Diseases

Vaccination of market-size eels against vibriosis due to *Vibrio vulnificus* serovar E
M.D. Esteve-Gassent, R. Barrera and C. Amaro (Valencia, Spain) 9

Effects of husbandry on prevalence of amoebic gill disease and performance of reared Atlantic salmon (*Salmo salar* L.)
G.M. Douglas-Helders (Launceton, Tas., Australia), I.J. Weir, D.P. O'Brien (Dover, Tas., Australia), J. Carson and B.F. Nowak (Launceton, Tas., Australia). 21

Seabirds as potential vectors of penaeid shrimp viruses and the development of a surrogate laboratory model utilizing domestic chickens
K.A. Vanpatten, L.M. Nunan and D.V. Lightner (Tucson, AZ, USA) 31

Morphological descriptions of the early stages of spine and vertebral development in hatchery-reared larval and juvenile Atlantic halibut (*Hippoglossus hippoglossus*)
L.M. Lewis, S.P. Lall (Halifax, NS, Canada) and P. Eckhard Witten (Halifax, NS, Canada; Hamburg, Germany). 47

Modulatory effects of ammonia-N on the immune system of *Penaeus japonicus* to virulence of white spot syndrome virus
G. Jiang (Qingdao, Beijing, China), R. Yu and M. Zhou (Qingdao, China). 61

Effect of probiotics, antibiotic sensitivity, pathogenicity, and plasmid profiles of *Listonella anguillarum*-like bacteria isolated from *Penaeus monodon* culture systems
B. Vasecharan (Chennai, India), J. Lin (Melbourne, FL, USA) and P. Ramasamy (Chennai, India). . 77

Genetics

Genetic markers associated with resistance to infectious hematopoietic necrosis in rainbow and steelhead trout (*Oncorhynchus mykiss*) backcrosses
M.F. Rodriguez (CA, Leetown, WV, United States), S. LaPatra, S. Williams (Buhl, ID, United States), T. Famula and B. May (CA, United States) 93

Studies on carcass quality traits in two populations of Coho salmon (*Oncorhynchus kisutch*): phenotypic and genetic parameters
R. Neira (Santiago, Chile), J.P. Lhorente (Pto. Montt, Chile), C. Araneda, N. Díaz (Santiago, Chile), E. Bustos and A. Alert (Pto. Montt, Chile). 117

Applying microsatellites to the management of farmed turbot stocks (*Scophthalmus maximus* L.) in hatcheries
Y.J. Borrell (Oviedo, Spain; Ciudad de la Habana, Cuba), J. Álvarez, E. Vázquez, C.F. Pato, C.M. Tapia, J.A. Sánchez and G. Blanco (Oviedo, Santander, Spain). 133

Comparative growth and survival of inbred and outbred *Penaeus* (*marsupenaeus*) *japonicus*, reared under controlled environment conditions: indications of inbreeding depression
S.J. Keys, P.J. Crocos, C.Y. Burridge, G.J. Coman (Cleveland, Australia), G.P. Davis (Albion, Australia) and N.P. Preston (Cleveland, Australia) 151
Family differences in feed efficiency in Atlantic salmon (*Salmo salar*)
K. Kolstad (Aas, Norway), B. Grisdale-Helland (Aas, Sunndalsøra, Norway) and B. Gjerde (Sunndalsøra, Norway) 169

Husbandry and Management

Effects of carbohydrate addition on production in extensive shrimp culture systems
B. Hari, B. Madhusoodana Kurup, J.T. Varghese (Cochin, India), J.W. Schrama and M.C.J. Verdegem (Wageningen, The Netherlands) 179
A differentially expressed enolase gene isolated from the gilthead sea bream (*Sparus aurata*) under high-density conditions is up-regulated in brain after in vivo lipopolysaccharide challenge
L. Ribas, J.V. Planas (Barcelona, Spain), B. Barton (Vermillion, USA), C. Monetti, G. Bernadini, M. Saroglia (Insubria, Italy), L. Tort and S. MacKenzie (Barcelona, Spain) 195
Effect of *Musculista senhousia* mats on clam mortality and growth: much ado about nothing?
M. Mistri (Ferrara, Italy) 207
Electrical stunning of fish: the relationship between the electric field strength and water conductivity
J. Lines and S. Kestin (Bedford, Langford Bristol, United Kingdom) 219
Compensatory growth and food consumption in gibel carp, *Carassius auratus gibelio*, and Chinese longsnout catfish, *Leiocassis longirostris*, experiencing cycles of feed deprivation and re-feeding
X. Zhu, S. Xie, Z. Zou, W. Lei, Y. Cui, Y. Yang (Wuhan, PR China) and R.J. Wootton (Wales, UK) 235
Sustainable aquaculture and producer performance: measurement of environmentally adjusted productivity and efficiency of a sample of shrimp farms in Mexico
F.J. Martinez-Cordero (Sinaloa, México) and P. Leung (Honolulu, HI, USA) 249
Bottom-drifting algal/mussel spat associations along a sandy coastal region in northern New Zealand
A.C. Alfaro, A.G. Jeffs (Auckland, New Zealand) and R.G. Creese (Warkworth, New Zealand) . . . 269
Morphometric relationship of weight and length of cultured *Farfantepenaeus paulensis* during nursery, grow out, and broodstock production phases
S. Peixoto, R. Soares, W. Wasielesky, R.O. Cavalli and L. Jensen (Rio Grande, Brazil) 291
Overwintering of farmed common carp (*Cyprinus carpio* L.) in the ponds of a central European aquaculture facility—measurement of activity by radio telemetry
C. Bauer (Vienna, Austria) and G. Schlott (Gebharts, Austria) 301
A biomonitoring approach to aquaculture effluent characterization in channel catfish fingerling production
W.W. Stephens and J.L. Farris (Arkansas, AR, United States) 319
Competition between the rotifer *Brachionus rotundiformis* and the ciliate *Euplotes vannus* fed on two different algae
S.-H. Cheng (Tungkang, Taiwan), S. Aoki (Tokyo, Japan), M. Maeda (Miyazaki, Japan) and A. Hino (Tokyo, Miyazaki, Japan) 331
Determination of the rates of fertilization, hatching and larval survival in the Japanese eel, *Anguilla japonica*, using tissue culture microplates
T. Unuma, S. Kondo, H. Tanaka, H. Kagawa, K. Nomura and H. Ohta (Nansei, Japan) 345
Experimental indoor cultivation of the carrageenophytic red alga *Gigartina skottsbergii*
A.H. Buschmann, D. Varela, M. Cifuentes, M. del Carmen Hernández-González, L. Henríquez, R. Westermeier (Puerto Montt, Chile) and J.A. Correa (Santiago, Chile) 357
Effects of husbandry conditions on the skin colour and stress response of red porgy, *Pagrus pagrus*
A.L. Van der Salm (Nijmegen, The Netherlands), M. Martinez (Bellaterra, Spain), G. Flik (Nijmegen, The Netherlands) and S.E. Wendelaar Bonga (Bellaterra, Spain) 371
Growth of *Rana perezi* Seoane, 1885 froglets fed on diets with different nutrient compositions
I.P. Martínez, M. Real and R. Álvarez (León, Spain) 387

Nutrition

The role of lipids in the gonadal development of the clam *Ruditapes decussatus* (L.)
M. Delgado, A. Pérez Camacho, U. Labarta and M.J. Fernández-Reiriz (La Coruña, Vigo, Spain) 395
Bacterial protein grown on natural gas in diets for Atlantic salmon, *Salmo salar*, in freshwater
T. Storebakken, G. Baeverfjord, A. Skrede, J.J. Olli and G.M. Berge (Sunndalsøra, Ås, Norway) 413
In vitro culture of the ascidian *Ecteinascidia turbinata* to supply the antitumor compounds ecteinascidins
A.R. Duckworth, G.A. Samples, A.E. Wright and S.A. Pomponi (Fort Pierce, FL, USA) 427
Apparent digestibility of selected feed ingredients for juvenile cobia *Rachycentron canadum*
Q.-C. Zhou (Zhanjiang, Guangzhou, People's Republic of China), B.-P. Tan (Qingdao, People's Republic of China), K.-S. Mai (Guangzhou, Qingdao, People's Republic of China) and Y.-J. Liu (Guangzhou, People's Republic of China) 441
Biodiversity and in situ abundance of gut microflora of abalone (*Haliotis discus hannai*) determined by culture-independent techniques
R. Tanaka, (Kyoto, Japan), M. Ootsubo, T. Sawabe, Y. Ezura and K. Tajima (Kyoto, Hakodate, Japan) 453
Evaluation of different sulfur amino acid compounds in the diet of red drum, *Sciaenops ocellatus*, and sparing value of cystine for methionine
J.B. Goff (TX, United States) and D.M. Gatlin III (TX, United States; Sunndalsora, Norway) 465

Physiology and Endocrinology

Effects of temperature on acute toxicity of ammonia to *Penaeus semisulcatus* juveniles
M. Kır, M. Kumlu and O.T. Eroldoğan (Adana, Turkey) 479
Impact of different environmental factors on the circulating immunoglobulin levels in the Nile tilapia, *Oreochromis niloticus*
M. Dominguez (Nishihara, Japan), A. Takemura (Motobu, Japan), M. Tsuchiya (Nishihara, Japan) and S. Nakamura (Motubo, Japan). 491
Evaluation of some hemato-immunological parameters in female shrimp *Litopenaeus vannamei* submitted to unilateral eyestalk ablation in association with a diet supplemented with superdoses of ascorbic acid as a form of immunostimulation
D.S. Maggioni (SC, CEP, Brazil), E.R. Andreatta, E.M. Hermes (UFSC, Brazil) and M.A. Barracco (SC, CEP, Brazil) 501
Cryopreservation of sea perch (*Lateolabrax japonicus*) spermatozoa and feasibility for production-scale fertilization
X.S. Ji (Qingdao, China), S.L. Chen (Qingdao, Shanghai, China), Y.S. Tian, G.C. Yu, Z.X. Sha, M.Y. Xu and S.C. Zhang (Qingdao, China) 517
Carbon and nitrogen stable isotopes: a tool to differentiate between *Lepeophtheirus salmonis* and different salmonid host species?
K.G. Butterworth (West Vancouver, B.C, Canada), W. Li (East Lansing, MI, United States) and R.S. McKinley (West Vancouver, B.C, Canada) 529
Long-term exposure to continuous light inhibits precocity in juvenile male European sea bass (*Dicentrarchus labrax*, L.). I. Morphological aspects
I. Begtashi, L. Rodríguez, G. Moles, S. Zanuy and M. Carrillo (Castellón, Spain). 539
Influence of photoperiod on the onset of gonadogenesis in Eurasian perch *Perca fluviatilis*
H. Migaud (Nancy, France; Stirling, Scotland), P. Fontaine, (Nancy, France), P. Kestemont (Namur, Belgium), N. Wang and J. Brun-Bellut (Nancy, France) 561
Effects of an artificial photothermal cycle on the reproduction of the shortfin silverside, *Chirostoma humboldtianum*, Valenciennes, 1835 (Pisces: Atherinopsidae)
G.A. Blancas-Arroyo, G. Figueroa-Lucero, I.d.l.A. Barriga-Sosa and J.L. Arredondo-Figueroa (México, México) 575